

# Receiving Report

Date:

17-01-B

Batch No:

136586

Supplier:

Aviall

Dart P/O:

34849

Packing Slip:

Yes

☒

No

☐

Invoice:

Yes

☒

No

☐

Receipt:

Cash

☐

Cr

☒

New Supplier

Yes

☐

No

☒

Release Note Attached:

Yes

☒

No

☐

N/A

☐

Waybill Attached:

Yes

☒

No

☐

N/A

☐

Shipment Complete:

Yes

☒

No

☐

N/A

☒

QC18 Inspection

☐

N/A

☒

Work Order

☐

N/A


☒

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12



Production/Admin:

Date

Received/Costing

Initial

Location



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

# PURCHASE ORDER

Purchase Order ID PO34879

Purchase Order Date 1/9/2017


PO Print Date 1/10/2017

Page Number 1 of 3

Order From :  
AVIALL  
PO BOX 842275

VU-AVI003

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA



DALLAS, TX 75284-2275  
USA

JAN 10 2017

Contact Name  
Vendor Phone 905-676-1695  
  
Ship To Contact  
Ship To Phone  
Ship Via: FedEx Economy collect  
Ship Acct:

Buyer  
Customer POID  
Customer Tax #  
Terms  
Currency  
FOB  
Chantal Lavoie  
10127-2607  
Net 30  
USD  
EXW - (Ex Works)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	AN4-20A <i>over CB</i>	Bolt	1/16/2017 Yes 1/16/2017	FN	100.00 Each	\$0.24	\$24.00
Line Total:							\$24.00
2	AN4-22A <i>over CB</i>	Bolt	1/16/2017 Yes 1/16/2017	FN	100.00 Each	\$0.25	\$25.00
Line Total:							\$25.00
3	AN4C20A <i>over CB</i>	Bolt	1/16/2017 Yes 1/16/2017		30.00 Each	\$0.85	\$25.50
Line Total:							\$25.50

*SP17-01-13*

PO Instructions: Fedex Acc#151793240

Note:

1/10/2017

**Purchase Order ID PO34879**

Purchase Order Date -1/9/2017-

Page Number 2 of 3

**Ship To :** DART AEROSPACE LTD

1/10/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

# PURCHASE ORDER

Purchase Order ID PO34879

Purchase Order Date 1/9/2017

PO Print Date 1/10/2017

Page Number 3 of 3

Order From :  
AVIALL  
PO BOX 842275

VU-AVI003

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

DALLAS, TX 75284-2275  
USA

Contact Name

Vendor Phone 905-676-1695

Ship To Contact

Ship To Phone

Ship Via: FedEx Economy collect

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB EXW - (Ex Works)

Chantal Lavoie

8	600.0991	Magnabond 6398 Part B Size 112 ml	1/16/2017	FN	12.00	\$30.13	\$361.56
			Yes		Each		
			1/16/2017				

Line Total: \$361.56

9	71401-45	PROCUREMENT QUALITY CLAUSES	1/16/2017		1.00	\$0.00	\$0.00
			No				
			1/16/2017				

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A015 SHELF LIFE CONTROLLED MATERIAL; 60% SHELF  
LIFE REQUIRED ACCEPTABLE

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS

FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A043 RETENTION OF QUALITY DOCUMENT

SP1701-B.

Line Total: \$0.00

PO Total: \$1,296.86

PO Instructions: Fedex Acc#151793240

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 1/10/2017



## BOX CONTENT LIST



ODO: 310005468702

ROUTE: FDXIPA

PAGE: 1 of 1  
DATE: 01/10/2017  
TIME: 17:07:50

Handling Unit: 110000000500384545

Packed at WorkCenter: SI01

CUSTOMER PO:34879  
ORDER NUMBER:8003995779B CU10003952  
I DART AEROSPACE LTD  
L 1270 ABERDEEN STREET  
L HAWKESBURY ON K6A 1K7  
CANADA  
T  
OS CU10003952  
H DART AEROSPACE LTD  
I 1270 ABERDEEN STREET  
P HAWKESBURY ON K6A 1K7  
CANADA  
T  
OS 1000  
H AVIALL CENTRAL WAREHOUSE  
I DALLAS CDC  
P PO Box 619048  
F DFW AIRPORT TX 75261  
R USA  
O

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	UOM			
00010		28	AN4-20A=28 BOLT: HEX HD,ST	100	100	EA			
			BATCH 7364405206 Exp Date:		100				
00020		28	AN4-22A=28 BOLT: HEX HD,ST	100	100	EA			
			BATCH 7364382962 Exp Date:		100				
00030		28	AN4C20A=28 BOLT: HEX HD,SS	30	30	EA			
			BATCH 7364133223 Exp Date:		30				
00040		28	AN4C21A=28 BOLT: HEX HD,SS	30	30	EA			
00050		5N	PR1425B2-60Z=5N SEALANT: 654 SEMKIT	8	8	EA			
			BATCH 7364360865 Exp Date: 06/30/2017		8				
			BATCH 7364279624 Exp Date:		10				
			BATCH 7364380728 Exp Date:		20				

SPH-01-B

**This is not an invoice.**  
**For payment processing, please refer to Invoice.**

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease or use of these goods.  
Diversion contrary to U.S. Law is prohibited.

## CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL  
RETURNED MERCHANDISE SUBJECT TO HANDLING  
FEE.

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH  
THE PROVISIONS OF THE FAIR LABOR ACT OF 1938  
AMENDED.



# BOX CONTENT LIST



ODO: 310005468700

ROUTE: FDXIPA

PAGE: 1 of 1  
DATE: 01/11/2017  
TIME: 16:08:01



Handling Unit: 110000000500423831

Packed at WorkCenter: SH06

CUSTOMER PO:34879  
ORDER NUMBER:8003995780

**B** CU10003952  
**I** DART AEROSPACE LTD  
**L** 1270 ABERDEEN STREET  
**L** HAWKESBURY ON K6A 1K7  
**T** CANADA  
**O**

**S** CU10003952  
**H** DART AEROSPACE LTD  
**I** 1270 ABERDEEN STREET  
**P** HAWKESBURY ON K6A 1K7  
**T** CANADA  
**O**

**S** 1000  
**H** AVIALL CENTRAL WAREHOUSE  
**I** DALLAS CDC  
**P** PO Box 619048  
**F** DFW AIRPORT TX 75261  
**R** USA  
**O**

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	UOM			
00060		33	MAGNOBOND6398=33 ADHESIVE: EPOXY,A/B,112ML	12	12	CQ			
			BATCH 7364405623 Exp Date: 10/01/2017		12				

SP17-01-12

**This is not an invoice.**  
**For payment processing, please refer to Invoice.**

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease or use of these goods.  
Diversion contrary to U.S. Law is prohibited.

## CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL  
RETURNED MERCHANDISE SUBJECT TO HANDLING  
FEE.  
THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH  
THE PROVISIONS OF THE FAIR LABOR ACT OF 1938  
AMENDED.

CUSTOMER COPY



## PACKING LIST



DELIVERY NUMBER: 8003995779

ROUTE: US FedEx International Priority

PAGE:1 of 1

DATE:10JAN17

TIME:17:09:36

EMP:00000000

ORD TYP: ZOR 169

CURRENCY:USD

TERMS:Net 30

CUSTOMER PO:34879  
ORDER NUMBER:1002762782  
ORDER DATE:10JAN17

B 10003952  
I DART AEROSPACE LTD  
L 1270 ABERDEEN STREET  
L HAWKESBURY ON K6A 1K7  
CANADA  
T  
O

S 10003952  
H DART AEROSPACE LTD  
I 1270 ABERDEEN STREET  
P HAWKESBURY ON K6A 1K7  
CANADA  
T  
O

S 1000  
H AVIALL CENTRAL WAREHOUSE  
I DALLAS CDC  
P 2750 REGENT BLVD  
DFW AIRPORT TX 75261  
USA  
F  
R  
O  
M

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM		CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
00010	0	28	AN4-20A BOLT: HEX HD,ST	100	100	✓	0 EA		0.24	✓ 24.00
			BATCH 7364405206		100	✓				
00020	0	28	AN4-22A BOLT: HEX HD,ST	100	100	✓	0 EA		0.25	✓ 25.00
			BATCH 7364382962		100	✓				
00030	0	28	AN4C20A BOLT: HEX HD,SS	30	30	✓	0 EA		0.85	✓ 25.50
			BATCH 7364133223		30	✓				
00040	0	28	AN4C21A BOLT: HEX HD,SS	30	30	✓	0 EA		0.90	✓ 27.00
			BATCH 7364279624		10	✓				
			BATCH 7364380728		20	✓				
00050	0	5N	PR1425B2-60Z SEALANT: 654 SEMKIT	8	8	✓	0 EA		59.03	✓ 472.24
			BATCH 7364360865		8	✓				
			Exp Date: 30JUN17							

**This is not an Invoice.**  
**For payment processing, please refer to Invoice.**

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease, or use of these goods.  
Diversion contrary to U.S. Law is prohibited.

## CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd, DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

10JAN17  
Date

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL  
RETURNED MERCHANDISE SUBJECT TO HANDLING  
FEE.

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH  
THE PROVISIONS OF THE FAIR LABOR ACT OF 1938  
AMENDED.

CUSTOMER COPY



# PACKING LIST



DELIVERY NUMBER: 8003995780

ROUTE: US FedEx International Priority

PAGE: 1 of 1  
DATE: 11 JAN 17  
TIME: 16:09:52  
EMP: 00000000

ORD TYP: ZOR 169  
CURRENCY: USD  
TERMS: Net 30

CUSTOMER PO: 34879  
ORDER NUMBER: 1002762782  
ORDER DATE: 10 JAN 17

**B** 10003952  
**I** DART AEROSPACE LTD  
**L** 1270 ABERDEEN STREET  
**L** HAWKESBURY ON K6A 1K7  
**T** CANADA  
**O**

**S** 10003952  
**H** DART AEROSPACE LTD  
**I** 1270 ABERDEEN STREET  
**P** HAWKESBURY ON K6A 1K7  
**T** CANADA  
**O**

**S** 1000  
**H** AVIALL CENTRAL WAREHOUSE  
**I** DALLAS CDC  
**P** 2750 REGENT BLVD  
**F** DFW AIRPORT TX 75261  
**R** USA  
**O**

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM		CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
00010	0	33	MAGNOBOND6398 ADHESIVE: EPOXY, A/B, 112ML BATCH 7364405623 Exp Date :01OCT17	12	12	0	CQ		60.26	723.12

SP17-01-12

**This is not an Invoice.**  
**For payment processing, please refer to Invoice.**

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease, or use of these goods.  
Diversion contrary to U.S. Law is prohibited.

#### CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL  
RETURNED MERCHANDISE SUBJECT TO HANDLING  
FEE.

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH  
THE PROVISIONS OF THE FAIR LABOR ACT OF 1938  
AMENDED.





A BOEING COMPANY

AVIALL SERVICES INC  
2750 REGENT BLVD  
DFW AIRPORT TX 75261

# Commercial Invoice

Tracking Number

703410682176

Ship From

LU\_US\_1000

AVIALL CENTRAL WAREHOUSE  
2750 REGENT BLVD.  
DFW AIRPORT TX 75261

Government Transaction Number

NOEEI FTR 30.36

Delivery Number

8003995779

Commercial Invoice Number

9304949195

Ship Date

10 January, 2017

Incoterms

EXW Shipping Point

Sold To DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003952	Ultimate Consignee DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003952	Ship To DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003952	Freight Forwarder FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE IL 60094-4515	400010
						Tax Number: 20-4734803	

Comments:

Item	Part Number & Description	Country of Origin	Quantity	UOM	Unit Value USD	Extended Value USD
10	AN4-20A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2017 Sales Order: 1002762782 PO: 34879 Batch Number: 7364405206	US	100	EA	0.24	24.00
20	AN4-22A - BOLT: HEX HD,ST Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2017 Sales Order: 1002762782 PO: 34879 Batch Number: 7364382962	US	100	EA	0.25	25.00
30	AN4C20A - BOLT: HEX HD,SS Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2017 Sales Order: 1002762782 PO: 34879 Batch Number: 7364133223	US	30	EA	0.85	25.50
40	AN4C21A - BOLT: HEX HD,SS Export Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_JAN_2017 Sales Order: 1002762782 PO: 34879	US	30	EA	0.90	27.00



# Certificate Of Compliance

4360 Northeast Expressway  
Atlanta, GA 30340

Packing Slip	ORD17824
Document Date	8/11/2016
Page	1

## Bill To:

AVIALL SERVICES, INC.  
P.O. BOX 619048  
DALLAS TX 75261-9048

## Ship To:

AVIALL SERVICES, INC.  
AVIALL CENTRAL WAREHOUSE, DALLAS CDC  
2750 REGENT BLVD.  
DFW AIRPORT TX 75261-9048

(972) 586-1314 Ext. 0000

\* Item Shipped Directly from Vendor

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Order Placed By	Ship Date
45496762	AVIAL001	INSIDE SALES	FED EX GRND COL	NET 30 DAYS	HEATHER FORDE	11/8/2016
Ordered	Shipped	B/O	Item Number	Description	Site	UOM
100	100	0	6398-AB/112ML	MAGNOLIA 6398- AB, 112ML, 2.5:1, TUBE KIT LOT# 16J11/16J11	4360	EA

## Instructions:

**\*\*DO NOT MIX LOT #S\*\***  
M.S.D.S. REQUIRED / DATE OF MFG:09/2016  
SPEC# 299-947-100, REV P, T-II, CL-2 / SHELF LIFE: 18 MOS  
FROM D.O.M. @ BELOW 40°F OR 12 MOS FROM D.O.M. @ 40-100°F  
SPEC# 299-947-359, REV A, T-I / SHLF LIFE: 06 MOS FROM S.D. @  
BTWN 80-100°F/09 MOS @ BTWN 60-80°F/12 MOS @ BELOW 40°F  
EXPIRATION DATE: (299-947-100): 03/2018 OR 09/2017  
EXPIRATION DATE: (299-947-359): 05/08/17 OR 08/08/17 OR 11/08/17

## Magnolia Advanced Materials, Inc.

Signed: \_\_\_\_\_

Greg Bunn  
Technical Director

**We certify that the above listed material meets the sales specifications as outlined by the manufacturing procedures of Magnolia Advanced Materials, Inc. and the above listed specification.**

**The materials process and formulation(s) have not been changed in any way from the original qualified material(s) without prior approval.**

**Unless otherwise indicated, the country of origin is the USA.**

**Shelf life certified and applicable on unopened, properly stored containers.**

Issuing Date 08-Oct-2015

Revision date 06-Nov-2015

Revision Number 5

## 1. IDENTIFICATION

**Product Identifier**

**Product name** Magnobond 6398-A

**Other means of identification**

**Product Code(s)** 6398-A

**Synonyms** Magnolia 6398-A

**Recommended use of the chemical and restrictions on use**

**Recommended Use** This product contains epoxy constituents that have an average molecular weight of less than or equal to 700.

**Uses advised against** No information available

**Details of the supplier of the safety data sheet**

**Manufacturer Address**

Magnolia Advanced Materials  
4360 NE Expressway  
Atlanta, GA 30344

**Emergency telephone number**

**Company Phone Number**

**Emergency telephone number**

(770) 451-2777

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Account 79439

## 2. HAZARDS IDENTIFICATION

**Classification**

**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Skin sensitization**

Category 1

**Label elements**

### Emergency Overview

**WARNING**

**Hazard statements**

May cause an allergic skin reaction



**Appearance** Gray

**Physical state** Paste/Gel

**Odor** Slight ethereal

**Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing must not be allowed out of the workplace  
Wear protective gloves

IF ON SKIN: Wash with plenty of water and soap  
If skin irritation or rash occurs: Get medical advice/attention  
Wash contaminated clothing before reuse

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

Causes mild skin irritation Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity 55.2 % of the mixture consists of ingredient(s) of unknown toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Substance**

Not applicable

**Mixture****Synonyms**

Magnolia 6398-A.

Chemical Name	CAS-No	Weight %	Trade secret
Trade secret	Proprietary	30-60	*
Aluminum	7429-90-5	25-50	*
Epoxy resin	Proprietary	5-15	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of first aid measures****General advice**

Remove from exposure, lie down. If symptoms persist, call a physician. Do not get in eyes, on skin, or on clothing. MAY CAUSE ALLERGIC SKIN REACTION.

**Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately if symptoms occur.

**Skin contact**

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**Inhalation**

Remove from exposure, lie down. If symptoms persist, call a physician.

**Ingestion**

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get medical advice/attention.

**Self-protection of the first aider**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms/Effects** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians**

Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.**Specific hazards arising from the chemical**

No information available.

**Explosion data****Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** None.**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal precautions**

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

**Other Information**

Ventilate the area.

**Environmental precautions****Environmental precautions**

Do not allow material to contaminate ground water system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

**Methods and material for containment and cleaning up****Methods for containment**

Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**

Pick up and transfer to properly labeled containers.

**7. HANDLING AND STORAGE****Precautions for safe handling****Advice on safe handling**

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep away from open flames, hot surfaces and sources of ignition. Keep tightly closed in a dry and cool place.

**Incompatible Products**

None known based on information supplied.

**8. Exposure Controls/Personal Protection****Control parameters****Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum	TWA: 1 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
7429-90-5		TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** No special protective equipment required.

**Skin and body protection** No information available.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Wash hands before breaks and after work.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Paste/Gel	<b>Odor</b>	Slight ethereal
<b>Appearance</b>	Gray	<b>Odor threshold</b>	No information available
<b>Color</b>	No information available		
<b>Property</b>	<b>Values</b>	<b>Remarks/ • Method</b>	
<b>PH</b>	No information available		
<b>Melting point / freezing point</b>	No information available		
<b>Boiling Point/Range</b>	107.3 °C 225 °F		
<b>Flash point</b>	> 93.4 °C / > 200 °F		
<b>Evaporation Rate</b>	No information available		
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limit in Air</b>			
Upper Flammability Limit	No information available		
Lower Flammability Limit	No information available		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	No information available		
<b>Relative Density</b>	1.25		
<b>Water solubility</b>	Negligible		
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient: n-octanol/water</b>	No information available		
<b>Autolgnition temperature</b>	No information available		
<b>Decomposition temperature</b>	No information available		
<b>Kinematic viscosity</b>	No information available		
<b>Dynamic viscosity</b>	No information available		
<b>Explosive properties</b>	No information available		
<b>Oxidizing properties</b>	No information available		

### Other Information

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content</b>	Negligible
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

None under normal processing.

**Hazardous polymerization**

Hazardous polymerization does not occur.

**Conditions to avoid**

Heat, flames and sparks.

**Incompatible materials**

None known based on information supplied.

**Hazardous decomposition products**

Carbon oxides. Phenols. Aromatic hydrocarbons.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

The product has not been tested

**Inhalation**

There is no data available for this product.

**Eye contact**

There is no data available for this product.

**Skin contact**

There is no data available for this product.

**Ingestion**

There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Epoxy resin	= 11400 mg/kg ( Rat )	-	-

**Information on toxicological effects****Symptoms**

No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No information available.
<b>MUTAGENIC EFFECTS</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 63,840.00 mg/kg

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects

46.4 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

**Persistence and degradability**

No information available.

**Bioaccumulation/Accumulation**

No information available.

Other adverse effects No information available

**13. DISPOSAL CONSIDERATIONS**Waste treatment methods

Waste Disposal Method Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse container.

Chemical Name	California Hazardous Waste Status
Aluminum 7429-90-5	Ignitable (powder)

**14. TRANSPORT INFORMATION**

DOT Not regulated

ICAO

UN-No 3082  
Hazard Class 9  
Packing group III

IATA

UN-No 3082  
Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)  
Hazard Class 9  
Packing group III

IMDG/IMO

UN-No 3082  
Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)  
Hazard Class 9  
Packing group III  
EmS No. F-A, S-F

RID

UN-No 3082  
Hazard Class 9  
Packing group III  
Classification code M6

ADR

UN-No 3082  
Hazard Class 9  
Packing group III  
Classification code M6

**15. REGULATORY INFORMATION**International Inventories

TSCA Complies  
DSL/NDL Complies  
EINECS/ELINCS Complies  
ENCS Does not comply  
IECSC Complies  
KECL Complies



PICCS Does not comply  
AICS Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List  
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
ENCS - Japan Existing and New Chemical Substances  
IECSC - China Inventory of Existing Chemical Substances  
KECL - Korean Existing and Evaluated Chemical Substances  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
AICS - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aluminum 7429-90-5	X	X	X

#### U.S. EPA Label Information

EPA Pesticide registration number Not applicable

### **16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

<u>NFPA</u>	Health hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health hazard 2	Flammability 1	Physical hazards 0	Personal precautions B

Prepared by Magnolia Advanced Materials, Inc.  
4360 NE Expressway.  
Atlanta, GA 30340

Issuing Date 08-Oct-2015  
Revision date 06-Nov-2015

Revision note  
No information available

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS



# Safety Data Sheet

Issuing Date 06-Nov-2015

Revision date 06-Nov-2015

Revision Number 3

## 1. IDENTIFICATION

### Product identifier

**Product name** Magnobond 6398-B

### Other means of identification

**Product Code(s)** 6398-B

**UN-No** 3267

**Synonyms** Magnolia 6398-B

### Recommended use of the chemical and restrictions on use

**Recommended Use** Amine curing agent.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Magnolia Advanced Materials

4360 NE Expressway

Atlanta, GA 30344

### Emergency telephone number

**Company Phone Number** (770) 451-2777

**Emergency telephone number** INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Account 79439

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B

### Label elements

#### **Emergency Overview**

##### **DANGER**


##### **Hazard statements**

HARMFUL IF SWALLOWED

Harmful in contact with skin

Causes severe skin burns and eye damage

May cause an allergic skin reaction

**Appearance** Off-white to amber**Physical state** Paste/Gel**Odor** Amine**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Do not breathe dusts or mists  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Contaminated work clothing must not be allowed out of the workplace

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor  
 Specific treatment (see ? on this label)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor  
 Call a POISON CENTER or doctor if you feel unwell  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
 If skin irritation or rash occurs: Get medical advice/attention  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 Immediately call a POISON CENTER or doctor  
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell  
 Rinse mouth  
 Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity

0.002 % of the mixture consists of ingredient(s) of unknown toxicity

<b>3. COMPOSITION/INFORMATION ON INGREDIENTS</b>
--

**Substance**

Not applicable

**Mixture****Synonyms**

Magnolia 6398-B.

**Formula**

Not Applicable-Mixture

Chemical Name	CAS-No	Weight %	Trade secret
Amine curing agent	Proprietary	30-60	*
Amine curing agent	Proprietary	15-40	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of first aid measures**

<b>General advice</b>	Remove from exposure, lie down. If symptoms persist, call a physician. Do not get in eyes, on skin, or on clothing. MAY CAUSE ALLERGIC SKIN REACTION.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove from exposure, lie down. If symptoms persist, call a physician.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get medical advice/attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms/Effects** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Specific hazards arising from the chemical**

No information available.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.
<b>Other Information</b>	Ventilate the area.

**Environmental precautions**

<b>Environmental precautions</b>	Do not allow material to contaminate ground water system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
----------------------------------	---

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

**Methods for cleaning up**

Pick up and transfer to properly labeled containers.

**7. HANDLING AND STORAGE****Precautions for safe handling****Advice on safe handling**

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep away from open flames, hot surfaces and sources of ignition. Keep tightly closed in a dry and cool place.

**Incompatible Products**

None known based on information supplied.

**8. Exposure Controls/Personal Protection****Control parameters****Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Appropriate engineering controls****Engineering Controls**

Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Safety glasses with side-shields.

**Skin and body protection**

Protective gloves.

**Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations**

Wash hands before breaks and after work.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	Paste/Gel	<b>Odor</b>	Amine
<b>Appearance</b>	Off-white to amber	<b>Odor threshold</b>	No information available
<b>Color</b>	No information available		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks/ • Method</u></b>	
<b>PH</b>	No information available		
<b>Melting point / freezing point</b>	No information available		
<b>Boiling Point/Range</b>	107.3 °C 225 °F		
<b>Flash point</b>	> 93.4 °C / > 200 °F		
<b>Evaporation Rate</b>	No information available		
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limit in Air</b>			
<b>Upper Flammability Limit</b>	No information available		
<b>Lower Flammability Limit</b>	No information available		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	No information available		
<b>Relative Density</b>	1.0		

Water solubility	Negligible
Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

**Other Information**

Softening point	No information available
Molecular weight	No information available
VOC Content	Negligible
Density	No information available
Bulk density	No information available

**10. STABILITY AND REACTIVITY****Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions. Hygroscopic.

**Possibility of hazardous reactions**

None under normal processing.

Hazardous polymerization      Hazardous polymerization does not occur.

**Conditions to avoid**

Heat, flames and sparks.

**Incompatible materials**

None known based on information supplied.

**Hazardous decomposition products**

Carbon oxides. Nitrogen oxides (NOx). Hydrogen cyanide. Ammonia. Hazardous decomposition products formed under fire conditions.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

<b>Product Information</b>	The product has not been tested
<b>Inhalation</b>	There is no data available for this product.
<b>Eye contact</b>	There is no data available for this product.
<b>Skin contact</b>	There is no data available for this product.
<b>Ingestion</b>	There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Amine curing agent	= 2140 µL/kg ( Rat )	= 880 µL/kg ( Rabbit )	-
Amine curing agent	= 4290 µL/kg ( Rat ) = 4290 mg/kg ( Rat )	= 2500 µL/kg ( Rabbit )	-

**Information on toxicological effects**

Symptoms      No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Sensitization	No information available.
MUTAGENIC EFFECTS	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	944.00 mg/kg
ATEmix (dermal)	1,490.00 mg/kg

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects

54.168 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Amine curing agent	495: 72 h Pseudokirchneriella subcapitata mg/L EC50	1000: 96 h Poecilia reticulata mg/L LC50 semi-static 100: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 1950 - 2460: 96 h Pimephales promelas mg/L LC50 flow-through	= 32 mg/L EC50 32: 48 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation/Accumulation**

No information available.

Chemical Name	Log Pow
Amine curing agent	-1.48

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

Waste Disposal Method	Dispose of contents/container in accordance with local regulation.
Contaminated packaging	Do not reuse container.

**14. TRANSPORT INFORMATION****DOT**

UN-No	3267
Hazard Class	8 (Corrosive)
Packing group	III

**ICAO**



UN-No	3267
Hazard Class	8 (Corrosive)
Packing group	III

**IATA**

UN-No	3267
Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (AMINOETHYLPIPERAZINE SOLUTION)
Hazard Class	8 (Corrosive)
Packing group	III
Description	A3

**IMDG/IMO**

UN-No	3267
Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (AMINOETHYLPIPERAZINE SOLUTION)
Hazard Class	8 (Corrosive)
Packing group	III
EmS No.	F-A, S-B

**RID**

UN-No	3267
Hazard Class	8 (Corrosive)
Packing group	III
Classification code	C7

**ADR**

UN-No	3267
Hazard Class	8
Packing group	III
Classification code	C7
ADR/RID-Labels	8

**15. REGULATORY INFORMATION****International Inventories**

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Acute health hazard


No

# Gexpro Services - Irving (DFAR)

9500 North royal lane  
Suite 130  
Irving, Texas 75063  
USA  
Phone: 972 915-0800  
Fax: 972-915-1792

ORDER NUMBER

20244353-0001



BILL TO: AVIALL SERVICES INC.  
PO BOX 619048  
DALLAS, TX 75261-9048  
972-586-1905 VI

SHIP TO: AVIALL SERVICES INC  
2750 REGENT BLVD  
DFW AIRPORT, TX 75261

CUSTOMER P.O. NUMBER  
AVIALS 45338339

ORDER DATE 11/24/2015 PRINT DATE 12/30/1899 12:00 am

SALESMAN 2019 TAKER 2060 ROUTE 1

## INSTRUCTION

GEXPRO DELIVERY TUES & THURS SEE PACKAGING REQUIREMENTS

CARRIER  
<NONE>

ORDERED	SHIPPED	BO	LINE	ITEM NUMBER	UOM	INTERNAL USE
280	265		1	AN4C20A HEX M/B PACKAGE AND LABEL 5 PER RoHS COMPLIANCE: N/A 2099- Lot: >R12QAAAA Qty: 265 MfgLot: AIRFAS/14020/203-207/221 COO: US	C	

\*\*\*\*  
MUST BE MFG IN THE USA  
\*\*\*\*  
MFG CERT REQ  
DATE OF MANUFACTURE, SHELF  
LIFE, AND EXPIRATION DATE  
REQUIRED  
\*\*\*\*  
ONLY SHIP IN INCREMENTS OF  
BAG QTY & ONLY ONE LOT PER  
\*\*\*\*\*  
SHELF LIFE MUST BE >80%  
\*\*\*\*  
PROVIDE CRADLE TO GRAVE CERTS  
IF AVAILABLE  
\*\*\*\*\*  
AVIALL T&C'S APPLY  
PART #:AN4C20A=28  
AN4C20A  
HEX M/B  
PACKAGE AND LABEL 5 PER  
RoHS COMPLIANCE: N/A  
2099-  
Lot: >R12QAAAA Qty: 265  
MfgLot: AIRFAS/14020/203-207/221  
COO: US



DMCEVOY  
12/02/15

DATE REQ:11/24/15

## Certificate of Conformance

It is hereby certified that all articles on this order, placed by your company, are in conformance with all the applicable requirements, specifications and drawings stated on the purchase order. This statement is supported by Certificates of Conformance or

*John Cline*

Corporate Director of Quality Assurance

12/1/2015 11:25:17AM

PACKED BY	CHECKED BY	SHIPPED BY
	125	

PACKING SLIP

Page 1 of 1

REMIT TO:  
 ANIXTER AEROSPACE HARDWARE (E&  
 BOX 842078 A DIVISION OF ANIXTER INC.  
 DALLAS, TX 75284-2078 21123 NORDHOFF STREET  
 CHATSWORTH, CA 91311  
 Phn: 818/727-7800 Fax: 818/727-1

\*\*\*\*\*ORIGINAL\*\*\*\*\*  
 \* P A C K I N G \*  
 \*\*\*\*\*  
 Container....01316705  
 Invoice No...IXX00JSW  
 Ship Date....12/20/10

S GEWOODEX-A00  
 O GEXPRO SERVICES IRVING  
 L 9500 NORTH ROYAL LANE  
 D SUITE 130  
 T IRVING, TX 75063  
 O

S A01  
 H GEXPRO SERVICES IRVING  
 I 9500 NORTH ROYAL LANE  
 P SUITE 130  
 T IRVING, TX 75063  
 O

P.O. #: 20100910  
 OUR SALE # SXX0066W  
 TERMS: NET 30 DAYS

SHIP MODE: UPS GROUND

NO. CARTONS: 1

F.O.B.: SHIP POINT ShpBr:LA

QUANTITY ORDERED	U/M	QUANTITY SHIPPED	BALANCE DUE	PART NO. & DESCRIPTION	UNIT PRICE	TOTAL
1,000	EA	1,000	0	AN4C20A DESC: BOLT, CRES This line item is in compliance with DFARS Clause 252.225-7014 Alternate I Preference for Domestic Specialty Metals. Classification: 7318.15.2000 LOT 14020 QTY: 1,000 MANF: AIRFASCO INC CAGE:3Z958 Country of Origin: UNITED STATES OF AMERICA TEST: DFAR - FULL CERTIFIC	.39000	390.00
Total Weight ----->				.000 T O T A L ----->		390.00 =====

This document is shown in US DOLLAR  
 The commodities sold by Anixter must be exported from  
 the United States in accordance with U.S. export laws and  
 regulations. Diversion contrary to U.S. law is prohibited.

109

We hereby certify that these goods were produced in compliance with all applicable requirements of section 6,7 and 12 of the fair labor standards act as amended, and of regulations and orders of the United States Department of Labor issued under section 14 thereof.  
 all claims for error, shortage, or damage must be made within 7 days of receipt. Returns must have a return material authorization number issued by Anixter affixed to returned containers. Our liability is limited to replacing the material or refunding the invoice value of the material sold.  
 Products in this shipment did not come into contact with mercury or mercury compounds while in possession of Anixter.

### CERTIFICATE OF CONFORMANCE

The manufacturer has represented products furnished in this shipment as conforming to applicable drawings and specifications. Required supporting evidence is available at Anixter or source of purchase upon request, subject to a fee.

DIRECTOR OF QUALITY

*Suzi Ojeda*  
 Suzy Ojeda



**MAC FASTENERS, INC.**  
**1110 ENTERPRISE**  
**OTTAWA, KANSAS 66067**

**CERTIFICATE OF CONFORMANCE  
 AND  
 MANUFACTURER'S AFFIDAVIT**

CUSTOMER BILD INDUSTRIES

PO: 89713

PART NUMBER: AN4-20A

REV: 3

LOT NUMBER: 85059

MANUFACTURED QUANTITY: 20,000

MILL HEAT NUMBER: 8290962

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

**MERCURY FREE CERTIFICATION**

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4  
 Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 07/20/16

  
 QUALITY ASSURANCE REPRESENTATIVE

SIGNATURE - MERCHANDISE RECEIVED

SO NO. @  
537613  
800 CLEARWATER LOOP  
FALLS, ID 83425

CUST PO NO  
448577

MAC FASTENERS, INC.  
10 ENTERPRISE  
OTTAWA, KANSAS 66067

**CERTIFICATE OF CONFORMANCE  
AND  
MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 84661

PART NUMBER: AN4-22A

REV: 3

LOT NUMBER: 74599

MANUFACTURED QUANTITY: 60,500

MILL HEAT NUMBER: 8196269

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

**MERCURY FREE CERTIFICATION**

MacFasteners certifies that the parts referenced in the above lot number  
do not contain Mercury or Mercury compounds, and were  
manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC  
FASTENERS within the United States, and were processed in accordance with all applicable drawings and  
specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4  
Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 02/25/15

  
QUALITY ASSURANCE REPRESENTATIVE



MA  
077